

Measure #38d. PREPARED Survey – Community Service Provider Version

CARE COORDINATION MEASURE MAPPING TABLE

	MEASUREMENT PERSPECTIVE		
	<i>Patient/Family</i>	<i>Health Care Professional(s)</i>	<i>System Representative(s)</i>
CARE COORDINATION ACTIVITIES			
Establish accountability or negotiate responsibility		□	
Communicate			
<i>Interpersonal communication</i>			
<i>Information transfer</i>		■	
Facilitate transitions			
<i>Across settings</i>		■	
<i>As coordination needs change</i>			
Assess needs and goals		□	
Create a proactive plan of care			
Monitor, follow up, and respond to change			
Support self-management goals		□	
Link to community resources			
Align resources with patient and population needs		□	
BROAD APPROACHES POTENTIALLY RELATED TO CARE COORDINATION			
Teamwork focused on coordination			
Health care home			
Care management			
Medication management			
Health IT-enabled coordination			

Legend:

- = ≥ 3 corresponding measure items
- = 1-2 corresponding measure items

PREPARED Survey – Community Service Provider Version

Purpose: To gather information on the quality of process and outcomes of discharge planning activities undertaken in the acute hospital setting from the community service provider perspective.

Format/Data Source: 30-item questionnaire

Date: Measure released in 1998.¹

Perspective: Health Care Professional(s)

Measure Item Mapping:

- **Establish accountability or negotiate responsibility:** 4a
- **Communicate:**
 - Information transfer:
 - *Between health care professional(s) and patient/family:* 4b
 - *Across health care teams or settings:* 1, 6, 7a, 8c, 10, 12a
- **Facilitate transitions:**
 - Across settings: 2, 5a, 5b, 9, 15
- **Assess needs and goals:** 2, 9
- **Support self-management goals:** 16a
- **Align resources with patient and population needs:** 7c, 8b

Development and Testing: No testing described in sources identified. However, testing information is available for related measures.²

Link to Outcomes or Health System Characteristics: None described in the sources identified.

Logic Model/Conceptual Framework: None described in the sources identified.

Country: Australia

Past or Validated Applications*:

- **Patient Age:** Adults, Older Adults
- **Patient Condition:** General Population/Not Condition Specific
- **Setting:** Inpatient Facility, Primary Care Facility, Long Term Care Facility, Not Setting Specific

*Based on the sources listed below and input from the measure developer.

Notes:

- The PREPARED instrument is available in 6 versions: (1) Australian Patient Version, (2) Australian Carer Version, (3) Australian Residential Care Staff Version, (4) Australian Community Service Provider Version, (5) Australian Medical Practitioner Version, and

(6) American Medical Practitioner Version. All of the Australian instruments can be found online.¹

- This instrument contains 30 items; 16 were mapped.

Sources:

1. International Centre for Allied Health Evidence (iCAHE) Web site. Available at: <http://www.unisa.edu.au/cahe/Resources/DCP/Information.asp>. Accessed: 21 September 2010
2. Grimmer K, Moss J. The development, validity and application of a new instrument to assess the quality of discharge planning activities from the community perspective. *Int J Qual Health Care* 2001;13(2):109-16.