

## Measure #55. Patients with a Transient Ischemic Event ER Visit That Had a Follow Up Office Visit

**CARE COORDINATION MEASURE MAPPING TABLE**

	MEASUREMENT PERSPECTIVE		
	<i>Patient/Family</i>	<i>Health Care Professional(s)</i>	<i>System Representative(s)</i>
<b>CARE COORDINATION ACTIVITIES</b>			
Establish accountability or negotiate responsibility			
Communicate			
<i>Interpersonal communication</i>			
<i>Information transfer</i>			
Facilitate transitions			
<i>Across settings</i>			□
<i>As coordination needs change</i>			
Assess needs and goals			
Create a proactive plan of care			
Monitor, follow up, and respond to change			□
Support self-management goals			
Link to community resources			
Align resources with patient and population needs			
<b>BROAD APPROACHES POTENTIALLY RELATED TO CARE COORDINATION</b>			
Teamwork focused on coordination			
Health care home			
Care management			
Medication management			
Health IT-enabled coordination			

**Legend:**

- = ≥ 3 corresponding measure items
- = 1-2 corresponding measure items

# Patients with a Transient Ischemic Event ER Visit That Had a Follow Up Office Visit

**Purpose:** To measure the percent of patients with an emergency department visit for a transient ischemic event who had a follow-up outpatient encounter within 14 days.<sup>1</sup>

**Format/Data Source:** Electronic claims data.

**Date:** Included in NQF preferred practices and performance measures set, released in September 2010.<sup>1</sup>

**Perspective:** System Representative(s)

## Measure Item Mapping:

This measure maps to the following domains: There are no individual measure items to map.

- **Facilitate transitions**
  - Across settings
- **Monitor, follow up and respond to change**

**Development and Testing:** This measure was endorsed by NQF as part of their preferred practices and performance measures for measuring and reporting care coordination, released in September 2010.<sup>1</sup>

**Link to Outcomes or Health System Characteristics:** None described in the source identified.

**Logic Model/Conceptual Framework:** None described in the source identified.

**Country:** United States

## Past or Validated Applications\*:

- **Patient Age:** Adults
- **Patient Condition:** Other – Transient Ischemic Event (stroke)
- **Setting:** Emergency Care Facility, Primary Care Facility, Other Outpatient Specialty Care Facility

\*Based on the source listed below.

## Notes:

- Because the NQF-endorsed preferred practices and performance measures for measuring and reporting care coordination were released shortly before completion of the *Atlas*, we were not able to contact the measure developers about any on-going measure development or testing. Additional information may become available in the future.

**Source:**

1. National Quality Forum. Preferred practices and performance measures for measuring and reporting care coordination: a consensus report. Washington, DC: National Quality Forum; 2010.