

Clinical-Community Relationships Measures Database

Customized Measure Listing

Measure #	Measures	Domain
01	<p>Patient recall of referral to local agencies (Safety Check Parental/Guardian Post-Visit Survey)</p> <p>Clinicians in the Pediatric Research in Office Settings program were trained on providing violence prevention related community referrals. This measure tracks patient recall of referrals to local agencies. Preventive Services Addressed: There is no current USPSTF recommendation for this specific mental health topic.</p> <p>Measure Profile (PDF File, 205KB) Measure Instrument (PDF File, 270KB) PubMed Abstract</p>	Referral process
02	<p>Parental interest in following up on the local agency referral (Safety Check Parental/Guardian Post-Visit Survey)</p> <p>Clinicians in the Pediatric Research in Office Settings program were trained on providing violence prevention-related community referrals. This measures the parent's level of interest in following up on the local agency referral. Preventive Services Addressed: There is no current USPSTF recommendation for this specific mental health topic.</p> <p>Measure Profile (PDF File, 204KB) Measure Instrument (PDF File, 270KB) PubMed Abstract</p>	Readiness for behavior change
03	<p>Parental confidence in being able to use a local agency referral (Safety Check Parental/Guardian Post-Visit Survey)</p> <p>Clinicians in the Pediatric Research in Office Settings program were trained on providing violence prevention related community referrals. This measures the parents' confidence that they will be able to use the local agency referral. Preventive Services Addressed: There is no current USPSTF recommendation for this specific mental health topic.</p> <p>Measure Profile (PDF File, 205KB) Measure Instrument (PDF File, 270KB) PubMed Abstract</p>	Ability to access the community resource
04	<p>Clinician recall of referral to a local agency (Safety Check Practitioner Post-Visit Survey)</p> <p>Clinicians in the Pediatric Research in Office Settings program were trained on</p>	Referral process

Clinical-Community Relationships Measures Database

Customized Measure Listing

	<p>providing violence prevention-related community referrals. This measure tracks the clinicians' recall of referrals to local agencies. Preventive Services Addressed: There is no current USPSTF recommendation for this specific mental health topic.</p> <p>Measure Profile (PDF File, 205KB) Measure Instrument (PDF File, 274KB) PubMed Abstract</p>	
05	<p>Clinician perception of parent interest in referral (Safety Check Practitioner Post-Visit Survey)</p> <p>Clinicians in the Pediatric Research in Office Settings program were trained on providing violence prevention-related community referrals. This measures the clinicians' perception of their patient's interest in the local agency referral. Preventive Services Addressed: There is no current USPSTF recommendation for this specific mental health topic.</p> <p>Measure Profile (PDF File, 205KB) Measure Instrument (PDF File, 274KB) PubMed Abstract</p>	Informed and activated patient
06	<p>Clinician confidence in ability to instruct patient/family in proper use of local agency referral (Safety Check Practitioner Post-Visit Survey)</p> <p>Clinicians in the Pediatric Research in Office Settings program were trained on providing violence prevention related community referrals. This measures the clinicians' level of confidence in instructing the patient/family in the proper use of a local agency referral. Preventive Services Addressed: There is no current USPSTF recommendation for this specific mental health topic.</p> <p>Measure Profile (PDF File, 206KB) Measure Instrument (PDF File, 274KB) PubMed Abstract</p>	Proactive and ready clinician
07	<p>Information about area (community) resources is offered by clinician (Wrap-Around Observation Form-2)</p> <p>For families involved in a care team receiving wrap-around services, the question assesses whether information about resource interventions in the area is offered to the team. Preventive Services Addressed: There is no current USPSTF recommendation for this specific mental health topic.</p> <p>Measure Profile (PDF File, 208KB) Measure Instrument (PDF File, 355KB) PubMed Abstract</p>	Proactive and ready clinician

Clinical-Community Relationships Measures Database

Customized Measure Listing

08	<p>Plan of care includes at least one public and/or private community service/resource (Wrap-Around Observation Form-2)</p> <p>For families involved in a care team receiving wrap-around services, the question assesses if information about resource interventions in the area is offered to the team. Preventive Services Addressed: There is no current USPSTF recommendation for this specific mental health topic.</p> <p>Measure Profile (PDF File, 207KB) Measure Instrument (PDF File, 355KB) PubMed Abstract</p>	Referral process
09	<p>Physician satisfaction with service coordination (Alzheimer's Service Coordination Program [ASCP] Physician Survey)</p> <p>Questionnaire asked clinician's satisfaction with the Alzheimer's Service Coordination Program - the program was a care partnership arrangement linking primary care physicians with a community organization that specializes in dementia education and support. Preventive Services Addressed: There is no current USPSTF recommendation for this specific mental health topic.</p> <p>Measure Profile (PDF File, 206KB) Measure Instrument (PDF File, 233KB)</p>	Clinician experience
10	<p>Changes in clinicians' knowledge of available services in the local community (ASCP Physician Survey)</p> <p>Physicians are asked whether their knowledge of community resources available to their patients with dementia and these patients' families increased, remained unchanged, or decreased compared with before their participation in the Alzheimer's Service Coordination Program. Preventive Services Addressed: There is no current USPSTF recommendation for this specific mental health topic.</p> <p>Measure Profile (PDF File, 206KB) Measure Instrument (PDF File, 233KB)</p>	Knowledge of and familiarity with community resources
11	<p>Whether or not a clinician would refer any family caregiver to intervention in the future (ASCP Physician Survey)</p> <p>Physicians are asked whether they would refer their patients to the Alzheimer's Service Coordination Program after participating in the program. Preventive Services Addressed: There is no current USPSTF recommendation for this specific mental health topic.</p> <p>Measure Profile (PDF File, 206KB)</p>	Clinician experience

Clinical-Community Relationships Measures Database

Customized Measure Listing

	Measure Instrument (PDF File, 233KB)	
12	<p>Clinician receipt of treatment plan from the service coordinator (ASCP Physician Survey)</p> <p>Physicians are asked whether they received a service plan from the ASCP Service Coordinator while participating in the program. Preventive Services Addressed: There is no current USPSTF recommendation for this specific mental health topic.</p> <p>Measure Profile (PDF File, 206KB) Measure Instrument (PDF File, 233KB)</p>	Feedback and communication
13	<p>Clinician discussion of treatment plan with patients or family caregivers (ASCP Physician Survey)</p> <p>Physicians are asked whether they reviewed or discussed treatment plan with patients or family caregivers while participating in the program. Preventive Services Addressed: There is no current USPSTF recommendation for this specific mental health topic.</p> <p>Measure Profile (PDF File, 206KB) Measure Instrument (PDF File, 233KB)</p>	Assessment and goal setting
14	<p>Patients referred to a community health educator referral liaison (CHERL)</p> <p>This measure calculates the proportion of eligible patients who received referrals to a CHERL by a clinician if the patient was identified by the clinician as needing improvement in one or more of the four unhealthy behaviors. Preventive Services Addressed: Alcohol Misuse Counseling; Healthy Diet Counseling; Obesity Screening and Counseling – Adults; Tobacco Use Counseling and Interventions – Non-Pregnant</p> <p>Measure Profile (PDF File, 206KB) PubMed Abstract</p>	Referral process
15	<p>Patient engagement with community health educator referral liaison (CHERL)</p> <p>This measure calculates the proportion of eligible patients who received referrals to a CHERL by a clinician if the patient was identified by the clinician as needing improvement in one or more of the four unhealthy behaviors. Preventive Services Addressed: Alcohol Misuse Counseling; Healthy Diet Counseling; Obesity Screening and Counseling – Adults; Tobacco Use Counseling and Interventions – Non-Pregnant</p>	Referral process

Clinical-Community Relationships Measures Database

Customized Measure Listing

	<p>Measure Profile (PDF File, 206KB) PubMed Abstract</p>	
16	<p>Community health educator referral liaison (CHERL) referrals to community resources</p> <p>This measure calculates the proportion of patients working with a CHERL who were referred to at least one community resource that provided assistance with one or more of the four unhealthy behaviors. Preventive Services Addressed: Alcohol Misuse Counseling; Healthy Diet Counseling; Obesity Screening and Counseling – Adults; Tobacco Use Counseling and Interventions – Non-Pregnant</p> <p>Measure Profile (PDF File, 206KB) PubMed Abstract</p>	Referral process
17	<p>Referral rate for intensive counseling from a community program</p> <p>An electronic linkage system (eLinkS) tracked the promotion of health behavior counseling and automation of patient referrals to community counseling services. This measure calculated the proportion of all patients with risk factors referred for intensive counseling. Preventive Services Addressed: Alcohol Misuse Counseling; Healthy Diet Counseling; Obesity Screening and Counseling – Adults; Tobacco Use Counseling and Interventions – Non-Pregnant</p> <p>Measure Profile (PDF File, 206KB) PubMed Abstract</p>	Referral process
18	<p>Rate of patients that were ready to improve a targeted behavior</p> <p>An electronic linkage system (eLinkS) tracked the promotion of health behavior counseling and automation of patient referrals to community counseling services. This measure calculated the proportion of all patients who were engaged to address an unhealthy behavior. Preventive Services Addressed: Alcohol Misuse Counseling; Healthy Diet Counseling; Obesity Screening and Counseling – Adults; Tobacco Use Counseling and Interventions – Non-Pregnant</p> <p>Measure Profile (PDF File, 206KB) PubMed Abstract</p>	Readiness for behavior change
19	<p>Connection to a community resource (Continuity of Care Practices Survey: Practice Level)</p> <p>This measure assesses whether clinicians and their staffs participating in the Veterans Affairs Substance Use Disorder (SUD) treatment program were able to</p>	Referral process

Clinical-Community Relationships Measures Database

Customized Measure Listing

	<p>arrange for their patient to connect with a community resource. Preventive Services Addressed: Alcohol Misuse Counseling</p> <p>Measure Profile (PDF File, 207KB) Measure Instrument (PDF File, 341KB) PubMed Abstract</p>	
20	<p>Coordination of care (Continuity of Care Practices Survey: Practice Level)</p> <p>This measure assesses whether a clinician and his staff participating in the Veterans Affairs Substance Use Disorder (SUD) treatment program were able to arrange for their patient to connect with a community resource. Preventive Services Addressed: Alcohol Misuse Counseling</p> <p>Measure Profile (PDF File, 206KB) Measure Instrument (PDF File, 341KB) PubMed Abstract</p>	Feedback and communication
21	<p>The effectiveness of communication between practice and community resource (GP-LI)</p> <p>This question assesses the clinician's perception of the effectiveness of communication with the community resource(s). Preventive Services Addressed: There is no current USPSTF recommendation for this specific mental health topic.</p> <p>Measure Profile (PDF File, 207KB) Measure Instrument (PDF File, 498KB) PubMed Abstract</p>	Referral process
22	<p>The quality of the service provided by community resource to a practice (GP-LI)</p> <p>This question assesses a provider's view of the quality of service provided by the community resource(s). Preventive Services Addressed: There is no current USPSTF recommendation for this specific mental health topic.</p> <p>Measure Profile (PDF File, 210KB) Measure Instrument (PDF File, 498KB) PubMed Abstract</p>	Knowledge of and familiarity with community resources