

**Exhibit 5-1. Measure 1: Patient recall of referral to local agencies (Safety Check Parental/Guardian Post-Visit Survey)**

<b>Domain:</b>	Referral process	<b>Element/ relationship:</b>	Clinic/clinician-patient
<b>Instrument:</b>	<a href="#">Safety Check Parental/Guardian Post-Visit Survey</a>		
<b>Purpose:</b>	Clinicians in the <i>Pediatric Research in Office Settings</i> program were trained on providing violence prevention related community referrals. This measure tracks patient recall of referrals to local agencies.		
<b>Format/data source:</b>	Patient/Individual Survey		
<b>Measure type:</b>	Process	<b>Date:</b>	2006
<b>Preventive service/ USPSTF:</b>	Other–Mental Health*		
<b>Clinical practice:</b>	Primary care–Pediatrics		
<b>Denominator:</b>	Number of respondents to parent/guardian post-visit survey (Q2)		
<b>Numerator:</b>	Number of respondents who selected “Yes” to local agency referral (Q2d)		
<b>Development &amp; testing:</b>			
<b>Past or validated application:</b>			
<b>Citation(s):</b>	Barkin, S., Ip, E. H., Finch, S., et al. Clinician practice patterns: linking to community resources for childhood aggression. <i>Clinical Pediatrics</i> (2006) 45:750-756.		
<b>Notes:</b>	Please be aware that this measure is using only a selected section of an entire survey instrument. Therefore, this individual measure may need to undergo further reliability and validation testing to ensure that it can be applied in a clinical-community relationship setting.		

\* This is a measure that was originally applied in a mental health setting, but it could be adapted for a primary care setting.

